

 168 S. Dupont Highway
 Phone:
 (302) 504-7200

 New Castle, DE 19720
 Fax:
 (302) 504-7201

 www.dataservice.org
 Helpdesk:
 (302) 504-7222

March 24, 2020

CDW Government LLC Matt Flood 230 N Milwaukee Avenue Vernon Hills, IL 60061-9740

## Ladies and/or Gentlemen:

Re: RFP # **2-20-25** 

School District(s) Red Clay Consolidated School District

RFP Title School Switches

This is to inform you that the District has determined your bid to be the highest scoring for the following:

Project / Items: All Items

Amount of Award: Unit Costs

As required in the specifications the following documents must be submitted or returned to the *Data Service Center* by:

<u>April 7, 2020</u>

Required Two copies of the District's contract for your signature.

N/A Three copies of the AIA contract, mailed to you by .....for your signature.

N/A Performance / Material Payment Bond in the amount of 100%

Required Certificate of Insurance

Failure to supply the required documents in a timely manner shall be cause for forfeiture of your bid deposit, if applicable, and the bid to be awarded to the next lowest responsible bidder. The bid deposit, if required, will be returned upon the receipt of the above referenced documents. A fully executed copy of the contract document will be returned to you by the District(s).



 168 S. Dupont Highway
 Phone:
 (302) 504-7200

 New Castle, DE 19720
 Fax:
 (302) 504-7201

 www.dataservice.org
 Helpdesk:
 (302) 504-7222

Upon the submission of all required documents, the District(s) will issue a purchase order that will be processed through the State of Delaware Accounting Office. You should not proceed with any work until you have received the purchase order unless a mutual understanding has been expedited by the District(s).

Thank you for your participation in the bid process. Please call me should you have any questions.

Sincerely,

Signature on File

Emily L. Ryan Coordinator, Administrative Applications & Central Bidding Data Service Center

Cc: Jill Floore, Chief Financial Officer